# HARRIS®

## Titanium Acrylic Spray Gloss Paint

### Basic Uses: interior/exterior surfaces



TECHNICAL DATA	SIZES	FINISH	COLOR
VISCOSITY: 15-20 seconds (Ford cup #4) FLASH POINT: Less than 156°F SOLIDS (WEIGHT): 80.08% SOLIDS (VOLUME): 19.92% DRYING TIME: 20 min. touch / 1 hr to handle Fully dry in 24 hrs. DRY FILM THICKNESS: 1.25 mils (calculated)	12 ounces can	Gloss	Black White Red

#### DESCRIPTION

Titanium Acrylic Spray Paint is quick drying enamel for interior / exterior surfaces that gives a triple extreme coverage. Can be use on wood, metal or almost any other surfaces indoor or outdoors. This high quality acrylic spray paint enamel leaves a beautiful, durable protective gloss finish and prevents rust on metal surfaces.

#### **APPLICATION**

#### SURFACE PREPARATION:

Throughly clean all grease, oil, dirt, wax and rust scale from surface before painting.

#### **NEW METAL SURFACES:**

New or rusted areas should be primed with Aerosol Primer before painting.

#### PREVIOUSLY FINISHED SURFACES:

Make sure surface is free of dirt, grease, wax and rust scale from surface before painting. Use drop cloth or newspapers to protect surrounding areas from spray mist. Surface temperature must be above 65°F from painting. Do not paint in high winds or excessively high humidity.

#### SURFACES IN GOOD CONDITIONS:

Spray directly on bare areas. Primers are not necessary.

#### SURFACES IN POOR CONDITIONS:

Remove all rusted and peeled or blistered paint to restore back to sound surface. Primed all surfaces with Spray Primer, allow 30 min. to dry.

#### **METHOD OF APPLICATION:**

Shake can until agitator ball begins to rattle and continue to shake for one minute after. Occasionally shake during application. Hold can 12 to 16 inches away from surface to be sprayed and apply several thin coats rather than one heavy coat. Recoat after one hour.

#### PRECAUTIONS

## CAUTION! Combustible. HARMFUL IF INHALED

Keep away from heat and open flame. Avoid prolonged contact with skin and breathing of vapor or spray mist. Close container after each use. Use with adequate ventilation.

Do not take internally.

## KEEP OUT OF THE REACH OF CHILDREN.